



# VANSH LED FIXTURE CATALOGUE 2023-24

www.vanshled.com

Vansh Electromechanical Devices Pvt Ltd, Khasra No. 32/12, Min-13, Grand Trunk Road, Sector 57, Kundli Industrial Area, Sonipat, Haryana 131028

# A LITTLE ABOUT US

Introducing Vansh Electromechanical Devices Pvt Ltd, a Leading Innovator in LED Lighting SolutionsWith an unwavering commitment to illuminating India's residential and industrial landscapes, Vansh Electromechanical Devices Pvt Ltd stands as a pioneering force in the LED revolution. Our dedication to crafting superior lighting solutions is epitomized by our two state-of-the-art manufacturing facilities, strategically located in Kundli, Haryana, and Roorkee, Uttarakhand. These cutting-edge factories collectively span over 100,000 square feet, meticulously designed to house the full spectrum of equipment and machinery required for the LED fixture and complete LED light production process.

At Vansh, we take pride in our holistic approach to LED manufacturing, ensuring that every component, from the LEDs to the PCB, is crafted exclusively within our Indian facilities, meticulously adhering to international quality standards. This dedication to quality extends beyond our products, as we offer an exceptional two-year pick-and-drop warranty service, ensuring peace of mind for our valued customers.

Our relentless pursuit of excellence is characterized by a harmonious blend of consistency, efficiency, and a customer-centric ethos. Vansh Electromechanical Devices Pvt Ltd emerges as the preferred choice for discerning consumers and is proud to be the trusted lighting solution provider for numerous prestigious brands across India.

When it comes to illumination, we are your guiding light, and we look forward to brightening your world with our exceptional LED fixtures and complete LED lights.

#### **CEO'S MESSAGE**

Dear Valued Partners and Customers,

At Vansh Electromechanical Devices Pvt Ltd, our unwavering dedication to innovation and quality is the cornerstone of our success. We take immense pride in illuminating your lives with cutting-edge LED solutions. With gratitude, we extend our commitment to excellence, serving you and your needs tirelessly. Your trust in us fuels our journey. Together, we light up the future.

Warm Regards,

Mr Manoj Gupta

Director

Vansh Electromechanical Devices Pvt Ltd.



Scan to **Download** our complete **Company profile**.

Our LED Light Manufacturing Plant is a testament to our unwavering commitment to producing top-tier lighting solutions. Spread across sprawling facilities in Kundli, Haryana, and Roorkee, Uttarakhand, our state-of-the-art production units encompass a diverse range of specialized areas that enable us to deliver cutting-edge products to our customers.

Within our manufacturing plant, our SMT Assembly Room houses advanced Surface Mount Technology equipment, ensuring the precise and efficient assembly of LED components. The Injection Moulding Section facilitates the production of durable and visually appealing casings for our LED fixtures. Our Tool Room is equipped with precision machinery to create intricate molds and fixtures, guaranteeing consistent product quality. The Power Press Room enables efficient processing of materials for various lighting components.

Complementing our production capabilities, our dedicated Research and Development Team continually innovates, pushing the boundaries of lighting technology to develop products that not only meet but exceed international quality standards. This holistic approach to manufacturing, coupled with our cutting-edge facilities, positions us as a leading force in the LED lighting industry, serving the needs of our valued customers across India and beyond.

# **OUR CERTIFICATES**
















| S.No. | NAME                       |
|-------|----------------------------|
| 1.    | V-240 Series, V-270 Series |
| 2.    | V-180 Series               |
| 3.    | Night Bulb                 |
| 4.    | Emergency Bulb             |
| 5.    | V-T Series                 |
| 6.    | O Bulb, VoRocket Series    |
| 7     | "Ti Bulb                   |
| 8.    | Fan Bulb, Butterfly        |
| 9     | Backlit Series             |
| 10.   | Edgelit Series             |
| 11 .  | Downlight                  |
| 12.   | Deep, Deep O Bulb          |
| 13 .  | Tri Colour Series          |
| 14.   | LED Spotlight              |
| 15 .  | Striker                    |
| 16.   | Bulkhead, Surface Panel    |
| 17.   | Twister, Argi Series       |
| 18.   | Driver Housing             |
| 19.   | Bulb Ageing Holders        |
| 20.   | End Caps                   |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V240-A50        | 5W                   | 50 MM                | 240 DEGREE    |
| V240-A55        | 9W                   | 55 MM                | 240 DEGREE    |
| V240-A60        | 12W                  | 60 MM                | 240 DEGREE    |
| V240-A65        | 15W                  | 65 MM                | 240 DEGREE    |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V270-A50        | 3W                   | 50MM                 | 270 DEGREE    |
| V270-A55        | 7W                   | 55MM                 | 270 DEGREE    |
| V270-A60        | 9W                   | 60MM                 | 270 DEGREE    |
| V270-A70        | 15W                  | 70MM                 | 270 DEGREE    |
| V270-A80        | 18W                  | 80MM                 | 270 DEGREE    |
| V270-A95        | 23W                  | 95MM                 | 270 DEGREE    |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V180-A50        | 5W                   | 50 MM                | 180 DEGREE    |
| V180-A57        | 9W                   | 57 MM                | 180 DEGREE    |
| V180-A60        | 10W                  | 60 MM                | 180 DEGREE    |
| V180-A65        | 12W                  | 65 MM                | 180 DEGREE    |
| V180-A67        | 15W                  | 67 MM                | 180 DEGREE    |
| V180-A75        | 18W                  | 75 MM                | 180 DEGREE    |
| V180-A80        | 20W                  | 80 MM                | 180 DEGREE    |
| V180-A85        | 24W                  | 85 MM                | 180 DEGREE    |

# **NIGHT BULB**








| MODEL<br>NUMBER | COLOUR                  | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|-------------------------|----------------------|----------------------|---------------|
| VNIGHT-WHITE    | O WHITE                 | 0.5W                 | 45 MM                | 270 DEGREE    |
| VNIGHT-RED      | RED                     | 0.5W                 | 45 MM                | 270 DEGREE    |
| VNIGHT-YELLOW   | YELLOW                  | 0.5W                 | 45 MM                | 270 DEGREE    |
| VNIGHT-GREEN    | <ul><li>GREEN</li></ul> | 0.5W                 | 45 MM                | 270 DEGREE    |
| VNIGHT-PINK     | PINK                    | 0.5W                 | 45 MM                | 270 DEGREE    |
| VNIGHT-BLUE     | BLUE                    | 0.5W                 | 45 MM                | 270 DEGREE    |
| VNIGHT-ORANGE   | ORANGE                  | 0.5W                 | 45 MM                | 270 DEGREE    |



# **ACDC BULB 9W & 12 W**





| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| VACDC-9         | 9W                   | 70 MM                | 180 DEGREE    |
| VACDC-12        | 12W                  | 80 MM                | 180 DEGREE    |

# ACDC EXTERNAL BATTERY VANSH®








| MODEL     | WATTAGE   | DIFFUSER | BEAM       |
|-----------|-----------|----------|------------|
| NUMBER    | SUPPORTED | DIAMETER | ANGLE      |
| VACDC-12E | 12W       | 80 MM    | 270 DEGREE |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V-T80           | 20W                  | 80MM                 | 180 DEGREE    |
| V-T100          | 30W                  | 100MM                | 180 DEGREE    |
| V-T120          | 45W                  | 120MM                | 180 DEGREE    |

# **V-ALUMINIUM SERIES**








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V-T100AL        | 35W                  | 100 MM               | 180 DEGREE    |
| V-T120AL        | 50W                  | 120 MM               | 180 DEGREE    |
| V-T140AL        | 60W                  | 140 MM               | 180 DEGREE    |
| V-T160AL        | 80W                  | 160 MM               | 180 DEGREE    |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V-OBULB7        | 7W                   | 84 MM                | 180 DEGREE    |
| V-OBULB15       | 15W                  | 140 MM               | 180 DEGREE    |

# **V-ROCKET SERIES**








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIFFUSER<br>DIAMETER | BEAM<br>ANGLE |
|-----------------|----------------------|----------------------|---------------|
| V-ROCKET-1      | 36W                  | 102 MM               | 180 DEGREE    |
| V-ROCKET-2      | 45W                  | 102 MM               | 180 DEGREE    |










| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE (LXB) | BEAM<br>ANGLE |
|-----------------|----------------------|------------|---------------|
| V-TBULB-10      | 10W                  | 201X31 MM  | 180 DEGREE    |
| V-TBULB10ACDC   | 10W                  | 201X31 MM  | 180 DEGREE    |








| MODEL     | WATTAGE   | SIZE(LXB) | BEAM       |
|-----------|-----------|-----------|------------|
| NUMBER    | SUPPORTED |           | ANGLE      |
| V-TBULB30 | 30W       | 300X50 MM | 180 DEGREE |









| MODEL         | WATTAGE   | LXBXH        | BEAM       |
|---------------|-----------|--------------|------------|
| NUMBER        | SUPPORTED |              | ANGLE      |
| V-BUTTERFLY15 | 15W       | 170X93X45 MM | 180 DEGREE |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIAMETER X HEIGHT | BEAM<br>ANGLE |
|-----------------|----------------------|-------------------|---------------|
| V-FAN3B         | 40W                  | 110X206 MM        | 180 DEGREE    |
| V-FAN4B         | 50W                  | 110X206 MM        | 180 DEGREE    |

# PANEL HOUSING










| MODEL        | WATTAGE   | CUTOUT SIZE | BEAM       | OUTER    |
|--------------|-----------|-------------|------------|----------|
| NUMBER       | SUPPORTED |             | ANGLE      | DIAMETER |
| V-BACK-ZENIX | 12W       | 4 INCH      | 180 DEGREE | 5 INCH   |



# **BACKLIT PANEL(PRIDE)**



#### Parts Included:



#### **SURFACE RING ALSO AVAILABE**

| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-PRIDE-R8      | 8W                   | 4 INCH      | 120 DEGREE    |
| V-PRIDE-R15     | 15W                  | 5 INCH      | 120 DEGREE    |


Spring Sets Included\*

# BACKLIT PANEL(PRIDE)





#### Parts Included:




| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-PRIDE-S8      | 8W                   | 4 INCH      | 120 DEGREE    |
| V-PRIDE-S15     | 15W                  | 5 INCH      | 120 DEGREE    |



#### **BACKLIT PANEL**




#### Parts Included:




| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-BACK1-R4      | 4W                   | 2.5 INCH    | 120 DEGREE    |
| V-BACK1-R8      | 8W                   | 4 INCH      | 120 DEGREE    |
| V-BACK1-R12     | 12W                  | 5 INCH      | 120 DEGREE    |
| V-BACK1-R15     | 15W                  | 6 INCH      | 120 DEGREE    |
| V-BACK1-R20     | 20W                  | 8 INCH      | 120 DEGREE    |

# **BACKLIT PANEL**





#### Parts Included:




| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-BACK1-S4      | 4W                   | 2.5 INCH    | 120 DEGREE    |
| V-BACK1-S8      | 8W                   | 4 INCH      | 120 DEGREE    |
| V-BACK1-S12     | 12W                  | 5 INCH      | 120 DEGREE    |
| V-BACK1-S15     | 15W                  | 6 INCH      | 120 DEGREE    |
| V-BACK1-S20     | 20W                  | 8 INCH      | 120 DEGREE    |






#### Parts Included:




| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-EDGE1-R6      | 6W                   | 4 INCH      | 120 DEGREE    |
| V-EDGE1-R12     | 12W                  | 6INCH       | 120 DEGREE    |
| V-EDGE1-R18     | 18W                  | 8 INCH      | 120 DEGREE    |





#### Parts Included:




| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-EDGE1-S6      | 6W                   | 4 INCH      | 120 DEGREE    |
| V-EDGE1-S12     | 12W                  | 6INCH       | 120 DEGREE    |
| V-EDGE1-S18     | 18W                  | 8 INCH      | 120 DEGREE    |





#### Parts Included:





| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-EDGE2-R3      | 3W                   | 2.5 INCH    | 120 DEGREE    |
| V-EDGE2-R6      | 6W                   | 4 INCH      | 120 DEGREE    |
| V-EDGE2-R10     | 10W                  | 5 INCH      | 120 DEGREE    |
| V-EDGE2-R15     | 15W                  | 6 INCH      | 120 DEGREE    |
| V-EDGE2-R20     | 20W                  | 8 INCH      | 120 DEGREE    |

Spring Sets Included\*

# (INTERNAL DRIVER)








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-EDGE2-S3      | 3W                   | 2.5 INCH    | 120 DEGREE    |
| V-EDGE2-S6      | 6W                   | 4 INCH      | 120 DEGREE    |
| V-EDGE2-S10     | 10W                  | 5 INCH      | 120 DEGREE    |
| V-EDGE2-S15     | 15W                  | 6 INCH      | 120 DEGREE    |
| V-EDGE2-S20     | 20W                  | 8 INCH      | 120 DEGREE    |





#### Parts Included:




| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-EDGE3-R3      | 3W                   | 2.5 INCH    | 120 DEGREE    |
| V-EDGE3-R6      | 6W                   | 4 INCH      | 120 DEGREE    |
| V-EDGE3-R10     | 10W                  | 5 INCH      | 120 DEGREE    |
| V-EDGE3-R15     | 15W                  | 6 INCH      | 120 DEGREE    |
| V-EDGE3-R20     | 20W                  | 8 INCH      | 120 DEGREE    |

Spring Sets Included\*

# **(EXTERNAL DRIVER)**








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| V-EDGE3-S3      | 3W                   | 2.5 INCH    | 120 DEGREE    |
| V-EDGE3-S6      | 6W                   | 4 INCH      | 120 DEGREE    |
| V-EDGE3-S10     | 10W                  | 5 INCH      | 120 DEGREE    |
| V-EDGE3-S15     | 15W                  | 6 INCH      | 120 DEGREE    |
| V-EDGE3-S20     | 20W                  | 8 INCH      | 120 DEGREE    |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| VEDGE4-R3       | 3W                   | 2.5 INCH    | 120 DEGREE    |
| VEDGE4-R6       | 6W                   | 4 INCH      | 120 DEGREE    |
| VEDGE4-R9       | 9W                   | 5 INCH      | 120 DEGREE    |
| VEDGE4-R12      | 12W                  | 6 INCH      | 120 DEGREE    |
| VEDGE4-R18      | 18W                  | 8 INCH      | 120 DEGREE    |
| VEDGE4-R24      | 24W                  | 12 INCH     | 120 DEGREE    |

# **DIE CAST ALUMINIUM**








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| VEDGE4-S3       | 3W                   | 2.5 INCH    | 120 DEGREE    |
| VEDGE4-S6       | 6W                   | 4 INCH      | 120 DEGREE    |
| VEDGE4-S9       | 9W                   | 5 INCH      | 120 DEGREE    |
| VEDGE4-S12      | 12W                  | 6 INCH      | 120 DEGREE    |
| VEDGE4-S18      | 18W                  | 8 INCH      | 120 DEGREE    |
| VEDGE4-S24      | 24W                  | 12 INCH     | 120 DEGREE    |





# DOWNLIGHT



# **CONCEAL (ALINA)**








| MODEL    | WATTAGE   | CUTOUT SIZE | BEAM       |
|----------|-----------|-------------|------------|
| NUMBER   | SUPPORTED |             | ANGLE      |
| VALINA-7 | 7W        | 80MM        | 120 DEGREE |



# **CONCEAL (STAR)**



#### Parts Included:




| MODEL    | WATTAGE   | CUTOUT SIZE | BEAM       |
|----------|-----------|-------------|------------|
| NUMBER   | SUPPORTED |             | ANGLE      |
| V-STAR-5 | 5W        | 70MM        | 120 DEGREE |

Spring Sets Included\*

#### **CONCEAL (CONICO)**








| MODEL    | WATTAGE   | CUTOUT SIZE | BEAM       |
|----------|-----------|-------------|------------|
| NUMBER   | SUPPORTED |             | ANGLE      |
| VCONCO-6 | 6W        | 75MM        | 120 DEGREE |



#### **CONCEAL (LUMIA)**



#### Parts Included:




| MODEL    | WATTAGE   | CUTOUT SIZE  | BEAM       |
|----------|-----------|--------------|------------|
| NUMBER   | SUPPORTED |              | ANGLE      |
| VLUMIA-7 | 7W        | <b>7</b> 5MM | 120 DEGREE |

Spring Sets Included\*

#### **CONCEAL (LUXOR)**








| MODEL    | WATTAGE   | CUTOUT SIZE | BEAM       |
|----------|-----------|-------------|------------|
| NUMBER   | SUPPORTED |             | ANGLE      |
| VLUXOR-7 | 7W        | 80MM        | 120 DEGREE |



#### **CONCEAL (JOLLY)**






| MODEL    | WATTAGE   | CUTOUT SIZE | BEAM       |
|----------|-----------|-------------|------------|
| NUMBER   | SUPPORTED |             | ANGLE      |
| VJOLLY-7 | 6W        | <b>75MM</b> | 120 DEGREE |

#### **CONCEAL (KORNET)**








| MODEL   | WATTAGE   | CUTOUT SIZE | BEAM       |
|---------|-----------|-------------|------------|
| NUMBER  | SUPPORTED |             | ANGLE      |
| VKORNET | 6W        | 75MM        | 120 DEGREE |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| VDEEP-3A        | 3W                   | 45MM        | 120 DEGREE    |
| VDEEP-3B        | 3W                   | 55MM        | 120 DEGREE    |

Spring Sets Included\*








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| VDEEP-70        | 7W                   | 50MM        | 180 DEGREE    |
| VDEEP-150       | 15W                  | 50MM        | 180 DEGREE    |



#### **15W MULTICOLOUR**






| MODEL    | WATTAGE   | CUTOUT SIZE | BEAM       |
|----------|-----------|-------------|------------|
| NUMBER   | SUPPORTED |             | ANGLE      |
| VTRI-A15 | 15W       | 75MM        | 180 DEGREE |

#### **8W MULTICOLOUR**







| MODEL   | WATTAGE   | CUTOUT SIZE | BEAM       |
|---------|-----------|-------------|------------|
| NUMBER  | SUPPORTED |             | ANGLE      |
| VTRI-B8 | 8W        | 45MM        | 180 DEGREE |



#### **15 W MULTICOLOUR**



#### Parts Included:



| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | CUTOUT SIZE | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| VTRI-C15        | Small Cap-15W        | 40MM        | 180 DEGREE    |
| VTRI-C15        | Big Cap-15W          | 60MM        | 180 DEGREE    |


Spring Sets Included\*

### LED SPOTLIGHT



#### **2W SPOT LIGHT**






| MODEL  | WATTAGE   | CUTOUT SIZE | BEAM       |
|--------|-----------|-------------|------------|
| NUMBER | SUPPORTED |             | ANGLE      |
| VCOB-2 | 2W        | 32MM        | 120 DEGREE |








| MODEL  | WATTAGE   | CUTOUT SIZE | BEAM       |
|--------|-----------|-------------|------------|
| NUMBER | SUPPORTED |             | ANGLE      |
| VCOB-3 | 3W        | 57MM        | 120 DEGREE |



#### **STRIKER 3W & 5W**






| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIAMETER X HEIGHT | BEAM<br>ANGLE |
|-----------------|----------------------|-------------------|---------------|
| VSTRIKER-3      | 3W                   | 60X16.5MM         | 120 DEGREE    |
| VSTRIKER-5      | 5W                   | 68X14.0MM         | 120 DEGREE    |








| MODEL      | WATTAGE   | DIAMETER X HEIGHT | BEAM       |
|------------|-----------|-------------------|------------|
| NUMBER     | SUPPORTED |                   | ANGLE      |
| VSTRIKER-6 | 6W        | 63X17MM           | 180 DEGREE |









| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE        | BEAM<br>ANGLE |
|-----------------|----------------------|-------------|---------------|
| VBULK-10        | 10W                  | 116X70X60MM | 180 DEGREE    |
| VBULK-20        | 20W                  | 165X75X66MM | 180 DEGREE    |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIAMETER X HEIGHT | BEAM<br>ANGLE |
|-----------------|----------------------|-------------------|---------------|
| VTSURFACE-6     | 6W                   | 90X27.5MM         | 120 DEGREE    |
| VTSURFACE-12    | 12W                  | 121X27.5MM        | 120 DEGREE    |
| VTSURFACE-18    | 18W                  | 157X28MM          | 120 DEGREE    |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIAMETER X HEIGHT | BEAM<br>ANGLE |
|-----------------|----------------------|-------------------|---------------|
| VTWIST-7        | 6W                   | 85X48MM           | 180 DEGREE    |
| VTWIST-9        | 9W                   | 110X48MM          | 180 DEGREE    |
| VTWIST-15       | 15W                  | 155X48MM          | 180 DEGREE    |
| VTWIST-20       | 20W                  | 185X50MM          | 180 DEGREE    |

#### **ARGI LIGHT**







| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | DIAMETER X HEIGHT | BEAM<br>ANGLE |
|-----------------|----------------------|-------------------|---------------|
| V-ARGI7         | 7W                   | 86X40MM           | 180 DEGREE    |
| V-ARGI12        | 12W                  | 140X43MM          | 180 DEGREE    |




## DRIVER HOUSING











| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE        | QUANTITY |
|-----------------|----------------------|-------------|----------|
| VDRIVER-1A      | 6W                   | 65X35X22 MM | 2 PIECES |
| VDRIVER-1B      | 12W                  | 80X38X23 MM | 2 PIECES |
| VDRIVER-1C      | 18W                  | 95X43X24 MM | 2 PIECES |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE         | QUANTITY |
|-----------------|----------------------|--------------|----------|
| VDRIVER-2A      | 6W                   | 68X33X22 MM  | 4 PIECES |
| VDRIVER-2B      | 12W                  | 88X38X23 MM  | 4 PIECES |
| VDRIVER-2C      | 18W                  | 110X42X26 MM | 4 PIECES |
| VDRIVER-2D      | 24W                  | 132X45X26 MM | 4 PIECES |








| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE         | QUANTITY |
|-----------------|----------------------|--------------|----------|
| VDRIVER-3A      | 6W                   | 66X30X22 MM  | 4 PIECES |
| VDRIVER-3B      | 12W                  | 85X36X22 MM  | 4 PIECES |
| VDRIVER-3C      | 18W                  | 112X40X23 MM | 4 PIECES |







| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE       |
|-----------------|----------------------|------------|
| VDRIVER-4A      | 3W-5W                | 40X28X22MM |
| VDRIVER-4B      | 1W-3W                | 34X20X22MM |


#### **BULB AGEING HOLDER**












| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE    |
|-----------------|----------------------|---------|
| VSURF1-R6       | ALL WATTAGES         | 57X26MM |







| MODEL<br>NUMBER | WATTAGE<br>SUPPORTED | SIZE    |
|-----------------|----------------------|---------|
| V-END A         | 6W                   | 29X20MM |
| V-END B         | 12W                  | 28X40MM |
| V-END C         | 12W                  | 29X20MM |



# YEARS OF EXCELLENCE

Celebrating 25 Years of Illuminating Excellence!

At Vansh Electromechanical Devices Pvt Ltd, we are not just a business; we are a legacy of trust, expertise, and innovation. With a quarter-century of commitment to lighting, our journey has been illuminated by relentless dedication to quality, precision, and customer satisfaction.

Over the years, we have become a beacon of trust for those who seek not just LED lights but the promise of a brighter, energy-efficient future. Our unwavering commitment to excellence has earned us the trust of countless individuals and industry leaders alike.

From our in-house manufacturing prowess to our unparalleled after-sales service, every facet of our business is a testament to the expertise that only 25 years of relentless pursuit can bring. We thank you, our valued customers and partners, for the trust you've placed in us, and we look forward to many more years of brilliance together.



Strikers



LED LIGHTS (TOP IN CLASS)



Fan Bulb











EdgeLit Panel

Backlit panel

3w COB

lw COB

COB

T-Bulbs

Track Lights

#### LED FIXTURES

(TOP IN CLASS)



V180 Series



V270 Series



V240 Series

Hammer bulb



A L Hammer Bulb



Fan bulb



Fan bulb



ACDC T Bulb



30w T Bulb



O Bulb



Backlit Panel



Backlit Panel



Backlit Panel



EdgeLit Panel



EdgeLit Panel



EdgeLit Panel



EdgeLit Panel



Trimless



Twister



Argi Light

EdgeLit Panel





EdgeLit Panel

**YEARS OF EXCELLENCE** 



Bulk Head



Conceal



Conceal





Conceal



Conceal

Conceal





Deep





Deep







Tricolour



LED ACCESSORIES



**End Caps** 



Blue, Black and White Driver



Bulb Ageing Holder



lw COB

LGP circle



VANSH ELECTROMECHANICAL DEVICES PVT.LTD: Khasra No. 32/12, Min-13, Grand Trunk Road, Sector 57, Kundli Industrial Area, Sonipat, Haryana 131028. +91 9810045989/+91 9910247102

MANUFACTURING FACILITY AT: Wazirpur (Delhi), Kundli (Haryana), Roorkee (Uttrakhand)